

Mooloolah Native Nursery

Holcim Site
 2671 Steve Irwin Way Glenview
 PO Box 6202
 Mooloolah Valley 4553
 ABN 22 598 056 037

Telephone: 07 5494 5074
 Open: Monday to Wednesday 8am to 4pm
 Email: mrwloffice@gmail.com
 Website: www.mooloolahriverwaterwatchandlandcare.org

Retail Species Availability September 2017

Botanical Name	Common Name	Details	Ht	In stock
<i>Abelmoschus moschatus ssp. tuberosa</i>	Bribie Island Hibiscus	Uncommon shrub with red flowers	1	Y
<i>Abrophyllum ornans</i>	Native Hydrangea	Moister rainforests, separate male & females	8	Y
<i>Acacia bakeri</i>	Marblewood	Branchlets zig-zag, yellowish flowers in spring	30	Y
<i>Acacia concurrens</i>	Black Wattle	Perfumed flower spikes winter to spring	8	Y
<i>Acacia disparrima</i>	Hickory Wattle	Fine-fissured bark, rod like flowers, woody flat pods	15	Y
<i>Acacia falcata</i>	Sickle-leaved Wattle	Open eucalypt forest, stony soil, creamy white flowers	3	Y
<i>Acacia fimbriata</i>	Brisbane Wattle	Moister areas, perfumed flowers winter-spring	5	Y
<i>Acacia hubbardiana</i>	Prickly Moses	Likes moist sandy soils/rocky slopes, yellowish flowers	2	Y
<i>Acacia leiocalyx</i>	Lamb's Tail Black Wattle	Open forest, perfumed flower spikes winter-spring	8	Y
<i>Acacia macradenia</i>	Zig-zag Wattle	Sandy soils, bright yellow flowers in winter	3	Y
<i>Acacia melanoxylon</i>	Blackwood	Likes fertile soil in moister areas, creamy white flowers	15	Y
<i>Acacia penninervis</i>	Mountain Hickory Wattle	Shrub or small tree 2 to 8m. Pale yellow to cream flowers in summer.	5	Y
<i>Acacia podalyriifolia</i>	Queensland Silver Wattle	Rocky areas, silver-grey leaves, perfumed flowers	5	Y
<i>Acmena smithii var minor</i>	Small Leaf Lilly Pilly	Variable tree found along watercourses, edible pinkish fruit	10	Y
<i>Acronychia imperforata</i>	Beach Acronychia	Good dune stabilisation, bushy shrub	15	Y
<i>Acronychia laevis</i>	Hard Aspen	Often along watercourses, white flowers, bluish fruit	10	Y
<i>Allocasuarina littoralis</i>	Black She Oak	Tree in open forest well drained soils	6	Y
<i>Allocasuarina torulosa</i>	Forest She-Oak	Glossy Black Cockatoo food source	8	Y
<i>Alocasia brisbanensis</i>	Cunjevoi, Elephant Ear	Herbaceous plant with large fleshy leaves, hardy	1.5	Y
<i>Alphitonia excelsa</i>	Red Ash	Pioneer, bush medicine, caterpillar host, fodder plant	20	Y
<i>Alpinia arundelliana</i>	Small Leaved Ginger	Indoor/outdoor, bush food and flavouring, pinkish flowers	2	Y
<i>Alpinia caerulea</i>	Native Ginger	Food for cassowaries & humans, host for caterpillars	2	Y
<i>Aphananthe philippinensis</i>	Rough-leaved Elm	Often along watercourses, greenish flowers in spring	20	Y
<i>Araucaria bidwillii</i>	Bunya Nut	Domed shaped crown, symmetrical outline, edible cones	40	Y
<i>Araucaria cunninghamii</i>	Hoop Pine	Tall straight tree, underside iridescent colours	50	Y
<i>Archirhodomyrtus beckleri</i>	Rose Myrtle	Shrub, with purple stems & lime green aromatic leaves	15	Y

<i>Archontophoenix cunninghamiana</i>	Piccabeen Palm	Palm found in gullies and moist areas, leaf paler below	25	Y
<i>Argyrodendron actinophyllum</i>	Black Booyong	Large buttressed tree, domatia prominent on leaves	50	Y
<i>Argyrodendron trifoliatum</i>	White Booyong	Large with buttressed roots, silver underside of leaves	40	Y
<i>Atractocarpus chartaceus</i>	Narrow-Leaved Gardenia	Shrub to small tree, perfumed flowers	6	Y
<i>Auranticarpa rhombifolia</i>	Diamond Laurel	Grey corky bark, full sun, ornamental, lush orange fruit	20	Y
<i>Austromyrtus dulcis</i>	Midyim	Shrub, edible fruit, great for hedging, adaptable plant	1.5	Y
<i>Backhousia citriodora</i>	Lemon Scented Myrtle	Strongly scented leaves when crushed.	15	Y
<i>Baloskion tetraphyllum</i>	Swamp Foxtail	Multistemmed plant with creeping rhizomes, damp areas	1.5	Y
<i>Banksia integrifolia</i>	Coastal Banksia	Leaves stiff, flowers pale yellow to 15cm	15	Y
<i>Banksia oblongifolia</i>	Dwarf Banksia	Sandy soils in heath, open forest & wet margins	2 to 3	Y
<i>Banksia robur</i>	Swamp Banksia	Poorly drained soils, creamish flower brushes	3.5	Y
<i>Banksia spinulosa</i>	Hairpin Banksia	Flowers in autumn/winter, attracts honeyeaters	3	Y
<i>Baumea articulata</i>	Jointed Twig Rush	Perennial herb of freshwater swamps	2.5	Y
<i>Beilschmiedia obtusifolia</i>	Blush Walnut	Whitish strong smelling flowers, black ovoid fruit	35	Y
<i>Bolboschoenus caldwellii</i>	Marsh Club Rush	Requires damp to wet soils in water. Prefers sun or part shade.	1	Y
<i>Brachychiton acerifolius</i>	Flame Tree	Deciduous tree, red bell shaped flowers	35	Y
<i>Brachychiton discolor</i>	Lace Bark Tree	Deciduous tree of drier rainforests	30	Y
<i>Brachychiton rupestris</i>	Qld Bottle Tree	Swollen-trunked tree, drier rainforests, light flowers	20	Y
<i>Callerya megasperma</i>	Native Wisteria	Moister rainforests, velvety pods, large flowers	vine	Y
<i>Callicarpa pedunculata</i>	Velvet Leaf	Shrub with pink flowers & purple berries	2	Y
<i>Callicoma serratifolia</i>	False Wattle	Wetter rainforests, globular white flowers, globose fruit	18	Y
<i>Callitris columellaris</i>	White Cypress Pine	Thin trunked on coastal sands, male & female plants	30	Y
<i>Callitris rhomboides</i>	Dune Cypress Pine	Timber tree, column like growth habit, fine olive leaves	15	Y
<i>Carex appressa</i>	Tall Sedge	Tall clumping sedge along creeks and in wetlands	1.5	Y
<i>Carex brunnea</i>	Greater brown sedge	Densely tufted sedge found in moist sub trop rainforest	0.8	Y
<i>Carex fascicularis</i>	Tassell Sedge	Tufted erect plant on creek banks/swamps	1	Y
<i>Carpobrotus glaucescens</i>	Coastal Pigface	Prostrate creeping plant, edible reddish fruit	g/c	Y
<i>Castanospermum australe</i>	Black Bean	Tall spreading tree found near waterways	35	Y
<i>Chrysocephalum apiculatum</i>	Yellow Buttons	Perennial herb, butterfly host, long-lasting cut flower	0.02	Y
<i>Cinnamomum oliveri</i>	Oliver's Sassafras	Leaves aromatic when crushed, oblong black fruit	30	Y
<i>Cissus antarctica</i>	Kangaroo Vine	Woody climbing vine, new growth rusty-hairy	vine	Y
<i>Cissus hypoglauca</i>	Giant Water Vine	Large vine, source of drinking water, attractive to animals	vine	Y
<i>Citrus australiasica</i>	Finger Lime	Thorny shrub; edible, acidic cylindrical fruit to 10cm	4	Y
<i>Citrus australis</i>	Native Lime	Thorny shrub of drier rainforests, aromatic leaves, edible fruit	6	Y
<i>Clausena brevistyla</i>	Native Wampi	Small tree with fruit pinkish with brown dots. Bush tucker	6	Y
<i>Comesperma volubile</i>	Love Creeper	Wet eucalypt forests, sparse leaves, purplish flowers	vine	Y
<i>Commelina diffusa</i>	Wandering Jew	herbaceous ground cover with blue flowers	g/c	Y

<i>Commersonia bartramia</i>	Brown Kurrajong	White flowers, fibrous bark can be made into cordage	20	Y
<i>Cordyline petiolaris</i>	Broad Leaved Palm Lily	Palm-like narrow plant, white to lilac flowers, red fruit	5	Y
<i>Cordyline rubra</i>	Red Fruited Palm Lily	Upright plant with multi trunks, purple flowers, red fruit	4	Y
<i>Corymbia intermedia</i>	Pink Bloodwood	Chunky, greyish bark, variety soil types, flowers summer	35	Y
<i>Corymbia trachyphloia</i>	Brown Bloodwood	Grey-brown fissured bark, stony soils of ridges & slopes	25	Y
<i>Crinum pedunculatum</i>	River/Spider Lily	grey corky bark, full sun, ornamental, lush orange fruit	1.5	Y
<i>Cryptocarya erythroxylon</i>	Pigeonberry ash	Usually found higher altitudes, cream flowers spring	35	Y
<i>Cryptocarya laevigata</i>	Glossy Laurel	Rainforest understorey on fertile soil, red drupe fruit	6	Y
<i>Cryptocarya microneura</i>	Murrogun	Tiny white flowers in spring, black fruit to 12mm	20	Y
<i>Cryptocarya obovata</i>	White alnut		15	Y
<i>Cryptocarya sclerophylla</i>	Hard Cryptocarya	Tiny creamy perfumed flowers in spring, ovoid black fruit	10	Y
<i>Cryptocarya triplinervis</i>	Three Veined Laurel	Common along watercourses	20	Y
<i>Cullen tenax</i>	Emu Foot	Multi stemmed prostrate plant, purple flowers	g/c	Y
<i>Cupaniopsis anacardioides</i>	Tuckeroo	Small tree often on watercourses, hardy street tree	10	Y
<i>Cupaniopsis parvifolia</i>	Small Leaved Tuckeroo	Small hardy tree in drier rainforests, good shade	15	Y
<i>Cymbopogon refractus</i>	Barbed Wire Grass	Clumping grass drier areas & poor soils, bluish leaves	1.5	Y
<i>Cyperus exaltatus</i>	Tall Flat Sedge	Clumping sedge, flat leaves to 15mm	2	Y
<i>Cyperus gracilis</i>	Slender Flat Sedge	Delicate arching form	0.3	Y
<i>Cyperus polystachyos</i>	Bunchy Sedge	Creeping erect sedge, dense flowers to 6mm long	0.06	Y
<i>Decaspermum humile</i>	Silky Myrtle	Shrub with aromatic leaves, edible round fruit	8	Y
<i>Deeringia amaranthoides</i>	Shrubby Deeringia	Weak climber, greenish flowers, red fruit on spikes	vine	Y
<i>Denhamia celastroides</i>	Orange Box Thorn	Found in rainforest margins, green flowers, orange fruit	15	Y
<i>Dianella brevipedunculata</i>	Flax Lily	Purplish flowers on tangled, much-branched short spikes	0.6	Y
<i>Dianella caerulea</i>	Blue Flax Lily	Strappy leaves, blue flowers, 15mm purple fruit	1.8	Y
<i>Dianella caerulea var asserta</i>	Blue Flax Lily with red	Tufted plant, purplish flowers on spikes	1.8	Y
<i>Dianella longifolia</i>	Tall Blue Flax Lily	Strappy leaves, blue flowers, hardy. Prune autumn.	1	Y
<i>Dioscorea transversa</i>	Native Yam	Herbaceous climber 4m long with edible tuberous roots.	vine	Y
<i>Diospyros australis</i>	Black Plum	Zigzag branchlets, greenish flowers, black fruit	15	Y
<i>Diploglottis australis</i>	Native Tamarind	Foliage on top of tree, hairy leaves, edible orange aril	35	Y
<i>Diploglottis campbellii</i>	Small-leaved Tamarind	Endangered tree, creamy flowers & fruits with edible red aril	20	Y
<i>Dissiliaria baloghioides</i>	Lancewood	Often in drier rainforests, perfumed flowers, male & female	30	Y
<i>Dodonaea rupicola</i>	Velvet Hop Bush	Vulnerable shrub with hairy leaves, flowers spring	1	Y
<i>Dodonaea triquetra</i>	Forest Hop Bush	Open shrub & stoney clay soils, flowers winter to spring	2	Y
<i>Doodia aspera</i>	Prickly Rasp Fern	Erect terrestrial fern producing short-creeping rhizomes	0.6	Y
<i>Dysoxylum mollissimum subsp.molle</i>	Red Bean	Discolourous leaves, creamy flowers, yellow warty fruit	30	Y
<i>Dysoxylum rufum</i>	Hairy Rosewood	Drier rainforests, white perfumed flowers, yellow fruit	20	Y
<i>Elaeagnus triflora</i>	Millaa Millaa Vine	Coastal areas, perfumed white flowers, edible red fruit	vine	Y

<i>Elaeocarpus grandis</i>	Blue Quandong	Buttressed tree, along watercourses, old leaves turn red	35	Y
<i>Elaeocarpus obovatus</i>	Hard Quandong	Often on watercourses, perfumed flowers, oblong fruit	30	Y
<i>Elattostachys nervosa</i>	Green Tamarind	Evergreen, flowers in Autumn & Spring, bird-attracting	12	Y
<i>Endiandra discolor</i>	Rose Walnut	Buttressed tree, greenish flowers, ovoid black fruit	40	Y
<i>Endiandra pubens</i>	Hairy Walnut	On watercourses, perfumed flowers, red spherical fruit	25	Y
<i>Endiandra virens</i>	White Apple	Understorey rainforest tree, large fruit April - July	8	Y
<i>Eucalyptus acmenoides</i>	White Mahogany	Sandy or stony soils, rough fibrous bark, woody fruits	40	Y
<i>Eucalyptus crebra</i>	Narrow Leaved Ironbark	Common hilly terrain in drier areas, hard furrowed bark	25	Y
<i>Eucalyptus microcorys</i>	Tallowood	Red-Brown bark. Favoured koala food.	35	Y
<i>Eucalyptus pilularis</i>	Blackbutt	Prefers sandy soils. Dark glossy leaves.	40	Y
<i>Eucalyptus racemosa</i>	Scribbly Gum	Sandy soils, bark white marked by larvae scribbles	19	Y
<i>Eucalyptus robusta</i>	Swamp Mahogany	Swampy areas near coast, rough red-brown bark	30	Y
<i>Eucalyptus tindaliae</i>	Tindale's Stringybark	Sandy acidic soils at low altitudes, grey bark	30	Y
<i>Eupomatia laurina</i>	Bolwarra/Native Guava	Near watercourses, perfumed flowers, edible fruit	5	Y
<i>Eustrephus latifolius</i>	Wombat Berry	Reasonably vigorous twining plan	vine	Y
<i>Ficinia (isolepis) nodosa</i>	Knobby Club Rush	Gently weeping evergreen sedge, hates frost.	1	Y
<i>Ficus coronata</i>	Creek Sandpaper Fig	Small tree, grows along banks, purple to black fruits	12	Y
<i>Ficus fraserii</i>	Sandpaper fig	Tree, leaves often lobed, fruit yellowish winter to spring	18	Y
<i>Ficus macrophylla</i>	Moreton Bay Fig	Large fig, wide buttressed roots, fruit purple when ripe	50	Y
<i>Ficus obliqua</i>	Small Leaved Fig	Bird attracting butterfly larval food source orange berries	40	Y
<i>Ficus rubiginosa</i>	Rock Fig	Branchlets grey-brown, fruit yellow turning red	30	Y
<i>Ficus superba var henneana</i>	Deciduous Fig	Deciduous fig, fruit yellow to red to purple with spots	35	Y
<i>Ficus virens</i>	White Fig	Deciduous, often growing on rocks, globose fruit	30	Y
<i>Ficus watkinsiana</i>	Strangler/Nipple Fig	Buttressed, milky sap, purplish fruit with pale spots	45	Y
<i>Fimbristylis nutans</i>	Finger Rush	Upright tufted herb, terminal flower spike, cylindrical stem	0.6	Y
<i>Flindersia schottiana</i>	Bumpy Ash	Open tree, pale bark, perfumed flowers	40	Y
<i>Flindersia xanthoxyla</i>	Yellowwood	Tree with grey bark, yellow flowers June to Sept,	45	Y
<i>Floydia praealta</i>	Ball Nut	Fruit looks likes macadamias but is poisonous	20	Y
<i>Gahnia sieberiana</i>	Red Fruited Saw Sedge	Leafy clumping sedge in moister areas, red fruit	3	Y
<i>Geitonoplesium cymosum</i>	Scrambling Lily	Leafy climber in moist forests, white flowers, black fruit	vine	Y
<i>Geodorum densiflorum</i>	Pink Nodding Orchid	Terrestrial orchid in well-drained soil, dormant in winter	0.04	Y
<i>Glochidion ferdinandi</i>	Cheese Tree	Small hardy tree in moister areas, fruit red when ripe	25	Y
<i>Glochidion sumatranum</i>	Umbrella Cheese Tree	Tree with large leaves, veins prominent, flowers spring	9	Y
<i>Gmelina leichhardtii</i>	White Beech	Semi deciduous tree, purplish flowers in spring summer	40	Y
<i>Graptophyllum spinigerum</i>	Spiny Graptophyllum	Uncommon shrub, white flowers spring to summer	2	Y
<i>Gymnostachys anceps</i>	Settlers Flax	Upright, slender grass-like plant in moster forests	2	Y
<i>Hakea actities</i>	Wallum Hakea	Shrub wet heath, white flowers winter to spring	3	Y

<i>Hakea florulenta</i>	Hakea	Open uprgrht shrub, needs good drainage, white flowers	1.5	Y
<i>Hakea plurinervia</i>	Qld Hakea	Upright woody shrub in sandy soils, flowers in spring	3	Y
<i>Hardenbergia violacea</i>	Native Sarsaparilla	Prostrate twining vine, purple flowers, oblong pods	vine	Y
<i>Harpullia pendula</i>	Tulipwood	Street tree with green/yellow flowers in spring/summer	20	Y
<i>Hibbertia scandens</i>	Snake Vine	Twining vine of wet eucalyptus forest at higher altitudes	vine	Y
<i>Hibiscus diversifolius</i>	Swamp Hibiscus	Pale yellow & purple flowers, fast growing	1.5	Y
<i>Hibiscus heterophyllus</i>	Native Rosella	Bush food. Hates frost. Fast growing, attracts insects	4	Y
<i>Hibiscus splendens</i>	Native Hibiscus	Hairy shrub with prickly stems, coastal & rocky areas	7	Y
<i>Hibiscus tiliaceus</i>	Cottonwood	Large & spreading in sheltered estuaries, yellow flower	8	Y
<i>Homalanthus nutans</i>	Bleeding Heart	Rainforest margins, older leaves turn red. Purplish fruit	6	Y
<i>Hovea acutifolia</i>	Purple Pea Bush	Purple 7mm flowers in clusters	2	Y
<i>Hoya australis</i>	Common Wax Flower	Succulent vine with twining stem on rock outcrops	vine	Y
<i>Hymenosporum flavum</i>	Native Frangipani	Tree along watercourses, perfumed yellowish flowers	20	Y
<i>Indigofera australis</i>	Australian Indigo	Erect shrub in open forests, pale pink flowers	1.5	Y
<i>Jagera pseudorhus</i>	Foambark	Tiny, yellowish-brown flowers in autumn	15	Y
<i>Jasminum suavisissimum</i>	Narrow-leaved Jasmine	Slender twining vine of sunny moist places	vine	Y
<i>Juncus krausii</i>	Salt Marsh Rush	Clumping erect rush, damp/sandy areas near coast	1	Y
<i>Juncus prismatocarpus</i>	Branching Rush	Found in waterway, densley tufted perennial	1.2	Y
<i>Juncus usitatus</i>	Common Rush	Along water edges, dam overflows, silt trapping plant	1.2	Y
<i>Kennedia rubicunda</i>	Red Kennedy Pea	Vigorous scrambling vine forming dense mats	vine	Y
<i>Leersia hexandra</i>	Swamp Ricegrass	Semi aquatic grass forming dense clumps	0.06	Y
<i>Lepidosperma laterale</i>	Variable Sword Sedge	Common, tufted sedge in sandy r rocky areas	0.9	Y
<i>Lepironia articulata</i>	Grey Rush / Sedge	Needs consistent and full sun. Good as a water feature.	0.02	Y
<i>Leptospermum luehmannii</i>	Bronze-barked Tea Tree	On rocky slopes & cliff faces, distinctive smooth bark	4	Y
<i>Leptospermum microcarpum</i>	Small Tea Tree	On rocky ridges & outcrops, hard fibrous bark	3	Y
<i>Leptospermum polygalyfolium</i>	Wild May	Dense shrub in open forest & along creek banks	4	Y
<i>Litsea leefeana</i>	Brown Bollygum	Upper surface of leaf dark glossy, lower paler with hairs	20	Y
<i>Livistona australis</i>	Cabbage Palm	Wet coastal forests, dense leaves, single trunk palm	30	Y
<i>Lomandra confertifolia</i>	Mat Rush	On rocky ledges & outcrops, stiff leaves	0.04	Y
<i>Lomandra hystrix</i>	Creek Mat Rush	Clumping grass great for soil stabilisation	1.5	Y
<i>Lomandra longifolia</i>	Mat Rush	Mat Rush for drier areas, strappy light green leaves	1.3	Y
<i>Lomandra spicata</i>	Yellow-fruited Mat Rush	Clumping grass-like plant, cream flowers in spring	0.08	Y
<i>Lomatia silaifolia</i>	Crinkle Bush	Well-drained sandy soils, white flowers all year	2	Y
<i>Lophostemon confertus</i>	Brush Box	Rough bark, grey on lower trunk, smooth brown above	35	Y
<i>Macaranga tanarius</i>	Macaranga	Dense pioneer on disturbed soils, separate male & female	6	Y
<i>Macrozamia lucida</i>	Pineapple Zamia	Poisonous fruit, separate male & female plants	2	Y
<i>Melaleuca bracteata</i>	Black Tea Tree	Along watercourses, roughly furrowed hard bark	15	Y

<i>Melaleuca leucadendra</i>	Weeping Paperbark	Whitish papery bark with weeping branches	20	Y
<i>Melaleuca nodosa</i>	Prickly-leaved Paperbark	Found in poorly drained soils,leaves sharply pointed	7	Y
<i>Melaleuca pachyphylla</i> Red/Green	Wallum Bottlebrush	Red/green flowers spring - autumn, poorly drained soils	1.5	Y
<i>Melaleuca quinquinervia</i>	Broad Leaved Paperbark	Usually in swampy areas, often in water. Bark is papery.	25	Y
<i>Melaleuca saligna</i>	Willow Bottlebrush	Bark papery, creamy flowers, in alluvial flats & banks	15	Y
<i>Melaleuca sieberi</i>	Sieber's Paperbark	In eucalypt forests, bark papery, white flowers in spring	10	Y
<i>Melaleuca thymifolia</i>	Thyme Honey Myrtle	Small shrub with purple flowers	1	Y
<i>Melaleuca viminalis</i>	Weeping Bottlebrush	Multi stemmed small tree along creeks. Red flowers in spring.	30	Y
<i>Melastoma malabathricum subsp malabathricum</i>	Blue Tongue - pink flower	Moist areas, 5 petalled pink flowers all year, edible fruit	2	Y
<i>Melastoma malabathricum subsp malabathricum</i>	Blue Tongue - white flower	Moist areas, 5 petalled pink flowers all year, edible fruit	2	Y
<i>Melia azaderach</i>	White Cedar	Deciduous,white/mauve fragrant flowers rainforest edge	15	Y
<i>Melicope elleryana</i>	Pink Euodia	Fast growing rainforest pioneer, pink flowers in summer.	25	Y
<i>Mentha diemenica</i>	Mint		0	Y
<i>Mentha satureioides</i>	Native Pennyroyal	Suckering herbaceous plant, forming carpets on heavy soils	0.3	Y
<i>Mirbelia rubiifolia</i>	Wallum Mirbelia	Weak-stemmed and slender, likes moist soils	0.05	Y
<i>Mischocarpus pyriformis</i>	Pear Fruited Tamarind	Small cream flowers summer-winter	20	Y
<i>Myriophyllum crispatum</i>	Water Milfoil	Herbaceous plant, often forming dense mats	0.1	Y
<i>Myrsine variabilis</i>	Muttonwood	Small rainforest tree, purple- black fruit, great looking tree	12	Y
<i>Neolitsea dealbata</i>	White Bolly Gum	Large glossy leaves above grey white underside	10	Y
<i>Oxylobium robustum</i>	Golden Shaggy Pea	Moist sandy coastal soils, yellow flowers late winter	3	Y
<i>Pandanus tectorius</i>	Pandanus or Screw Pine	Hardy branched tree,thick prop roots - feature plant	12	Y
<i>Pandorea jasminoides</i>	Bower Vine	Vigourous with white-pink flowers in winter-spring	vine	Y
<i>Panicum effusum</i>	Hairy Panic	Tufted perennial grass	0.2 to 0.7	Y
<i>Pararchidendron pruinatum</i>	Snow Wood	Small tree, yellowish flowers in spring	10	Y
<i>Pararistolochia praevenosa</i>	Richmond Birdwing Vine	Host vine for Richmond Birdwing Butterfly	vine	Y
<i>Petalostigma triloboculare</i>	Quinine Bush	Copes with clay soils, yellowish leaves, yellow flowers	5 to 8	Y
<i>Petrophile canescens</i>	Drumsticks	Erect woody shrub in rocky areas & eucalyptus forests.	2	Y
<i>Petrophile shirleyae</i>	Conesticks	Cream flowers in terminal cone, fruit embedded in cone	1.2	Y
<i>Philydrum lanuginosum</i>	Woolly Frogmouth	Aquatic perennial, flowers which attract butterflies.	2	Y
<i>Pilidiostigma rhytispermum</i>	Small Leaved Plum	Rainforest & eucalypt forest, white flowers, black fruit	5	Y
<i>Pipturus argenteus</i>	Native Mulberry	Rainforest margins, tiny white flowers, edible soft fruit	8	Y
<i>Pittosporum ferrugineum</i>	Rusty Pittosporum	Evergreen shrub, medicinal uses, poisons fish	10	Y
<i>Pittosporum multiflorum</i>	Orange Thorn	Spiny shrub which is a great for shelter for small birds	3	Y
<i>Pittosporum undulatum</i>	Native or Sweet Daphne	White highly fragrant 5 petalled flowers in clusters	15	Y
<i>Plectranthus alloplectus</i>	Narrow-leaf Plectranthus	Upright herb of rocky exposed platforms; purple flowers	0.07	Y
<i>Plectranthus nitidus</i>	Silver Plectranthus	Endangered, herbaceous plant of moist rainforests & gullies	0.06	Y
<i>Podocarpus elatus</i>	Plum Pine	Tall, beautiful shape, stiff leaves, edible plum-like fruit	40	Y

<i>Podocarpus spinulosus</i>	Scrubby Pine	Bird attracting. Slow propagation. Resprouts after fire.	2	Y
<i>Pollia macrophylla</i>	Pollia	Creeping herb, purplish flowers spring to summer, shade	1.5	Y
<i>Polyscias elegans</i>	Celery Wood	Narrow tree, tiny purple flowers, 2 lobed black fruit	18	Y
<i>Pseuderanthemum variable</i>	Love Flower	Sparsely branched plant, well drained, shady areas	0.3	Y
<i>Psychotria daphnoides</i>	Smooth Psychotria	On rainforest edges, white flowers, yellowish fruit	3	Y
<i>Psychotria loniceroides</i>	Hairy Psychotria	On rainforest edges, white flowers, yellowish fruit	4	Y
<i>Ptilothrix deusta</i>	Feather Sedge	Tufted sedge in moist, sandy soil & heath areas.	0.6	Y
<i>Pultanaea euchila</i>	Orange Bush Pea	Sandy soils, 15mm flowers winter to spring	2	Y
<i>Pultanaea villosa</i>	Hairy Pea Bush	Weeping shrub. Open position with half day of sun	2	Y
<i>Rhodamnia acuminata</i>	Cooloola ironwood		8	Y
<i>Rhodosphaera rhodantha</i>	Deep Yellowwood	Watercourses, non-invasive roots. Good windbreak.	20	Y
<i>Rhynchospora corymbosa</i>	Golden Beak Sedge	Tall sedge, large seed heads on top of tall stems	2	Y
<i>Rubus moluccanus v moluccanus</i>	Native Raspberry	Scrambling prickly shrub, white flowers, edible red fruit	1	Y
<i>Sarga leiocladum</i>	Wild Sorghum	Grass. Tufted perennial to 1m high.	1	Y
<i>Scaevola calendulacea</i>	Fan Flower	Sprawling, prostrate plant forming mats on low dunes	0.25	Y
<i>Schoenoplectus litoralis</i>	Mangrove Clubrush	Stout sedge, widespread in swampy areas	1.5	Y
<i>Schoenoplectus mucronatus</i>	Triangular Sedge	Thicket forming sedge, swampy areas triangular stems	1	Y
<i>Schoenoplectus validus</i>	River Club Rush	Stout sedge, widespread in swampy areas	1.5	Y
<i>Schoenus apogon</i>	Common Bog Sedge	Tufted perennial sedge flowering winter to summer	0.025	Y
<i>Senna acclinis</i>	Brush Senna	Usually near edges of rainforest, flowers spring to summer	3	Y
<i>Senna barclayana</i>	Pepper-leaf Senna	Yellow flowers to 15cm in summer, cylindrical pods	2	Y
<i>Smilax australis</i>	Barbed Wire Grass	Robust, prickly vine climbing by tendrils, black fruit	vine	Y
<i>Solanum aviculare</i>	Kangaroo Apple	On rainforest margins, purplish flowers, orange fruit	4	Y
<i>Sowerbaea juncea</i>	Vanilla Lily	Clumping lily in most sandy soils, mauve flowers in spring	0.075	Y
<i>Stenocarpus sinuatus</i>	Firewheel Tree	Tall & narrow, stunning spoked red wheel like flowers	30	Y
<i>Sterculia quadrifida</i>	Peanut Tree	Handsome tree with edible nuts from stunning seed pods	15	Y
<i>Synoum glandulosum</i>	Scentless Rosewood	Moist eucalypt/rainforests, small pinkish flowers	18	Y
<i>Syzygium australe</i>	Brush Cherry	Aromatic crushed leaves, red/pink edible fruit	15	Y
<i>Syzygium floribundum (Waterhousea floribundum)</i>	Weeping Lillipilly	Shady watercourses, drooping branches	30	Y
<i>Syzygium francisii</i>	Giant water gum	Buttressed tree, pink growth, white flowers, blue fruit	30	Y
<i>Syzygium hemilampra</i>	Broad-Leaved Lillipilly	White but sour edible fruit, small white flowers	30	Y
<i>Syzygium hodgkinsoniae</i>	Red Lillipilly	Vulnerable tree in deep alluvial soils, perfumed flowers	10	Y
<i>Syzygium luehmannii</i>	Small-leaved Lillipilly	Bright pink new growth, edible pear shaped fruit	25	Y
<i>Syzygium oleosum</i>	Blue Lillipilly	Large edible purplish fruit, aromatic leaves	12	Y
<i>Syzygium smithii (Refer acmena smithii)</i>	Lillipilly	Along watercourses; white flowers, edible pinkish fruit	20	Y
<i>Tabaenaemontana pandacaqui</i>	Banana Bush	Semi deciduous, perfumed flowers spring to summer	2 to 3	Y
<i>Tecomanthe hillii</i>	Fraser Island Creeper	Moderately vigorous climber in coastal areas	vine	Y

<i>Themeda triandra</i>	Kangaroo Grass	Tufting Kangaroo grass. Well drained. Flowers summer	1.5	Y
<i>Thysanotus tuberosus</i>	Fringed Lily	Grass-like herb in moist, sunny places amongst grasses	0.03	Y
<i>Toona ciliata</i>	Red Cedar	Large deciduous trees, perfumed white flowers	45	Y
<i>Trema tomentosa</i>	Poison Peach	Woody shrub open forest & scrub edges, tiny flowers	5	Y
<i>Trophis scandens subsp scandens</i>	Burny Vine	Woody spreading stems with sandpapery bark, red fruit	vine	Y
<i>Viola banksii (Viola hederacea)</i>	Ivy Leaf Violet	Creeping plant of melaleuca swamps & creek banks	0.02	Y
<i>Viola betonicifolia</i>	Native Arrowleaf Violet	Herbaceous, purple flowers, arrow shaped leaves	g/c	Y
<i>Wikstroemia indica</i>	Bootlace Bush	Twiggy shrub on stoney clay, flowers, reddish fruit	1.5	Y
<i>Wilkiea macrophylla</i>	Large-leaved Wilkiea	Shrub with separate male & female plants, black fruit	4	Y
<i>Xanthorrhoea johnsonii</i>	Forest Grass Tree	Woody grass plant with a trunk, on well-drained slopes	4	Y

Retail Price List

Native Tubes (NT)

\$2.50

Supertubes (ST) (200mm x 70mm & 150mm x 90mm)

\$5.00

140mm (6" Pots)

\$7.00

200mm (8" Pots)

\$10.00

250mm (10" Pots)

\$12.00

300mm (12" Pots)

\$14.00

300mm plus pots

ask for prices

200 + Native Tubes (NT)

\$1.80 each

Members receive 10% discount

TAKE CARE! Some information about bush foods is a generalisation so correct identification & preparation is essential.

Mooloolah Native Nursery is not liable for any injury or damage that may occur when eating the species mentioned.

Please Note: We do not have EFTPOS facilities here as we are a not for profit organisation.